



1. Product Name

- Nova Display Flexi-Frames Kits PH Series

2. Manufacturer

Nova Display, Inc.
 1626 Piner Road
 Santa Rosa, CA 95403
 Phone: 800-753-9688
 Fax: 800-753-0856
 E-mail: enquiries@novadisplay.com
 Website: www.novadisplay.com

3. Product Description

Flexi-Frame Display Stands

The most versatile free-standing, flexible and innovative in design floor display systems. Suitable for a wide variety of interior design applications that hold prints, posters, graphics, literature and much more. All frames are lightweight satin silver aluminum and can be linked together with flexible hinges to form multi-sectional units. The suspended cables within the units allow for total flexibility in designing. Units can fold flat for easy storage and relocation. Individual frames are available in 24 or 36 inches wide.

Basic Use

PH Series Flexi-Frame display stands are designed to hold and display literature and other media for viewing or distributing.

Materials and Finishes

Basic panels are constructed from extruded aluminum shapes, aluminum cables and acrylic panels or inserts.

Benefits

- Free-standing configuration allows for flexibility of location
- Lightweight
- Hinged panels allow easy compact storage
- Accessories allow for multiple display configuration of various size display media
- Material can be displayed horizontally or vertically

Product Limitations

For indoor use only.



Panel Sizes

See Table 1.

Accessories

Acrylic Poster Holders

Insert sizes (W × H):

- 8½ × 11 inches
- 16 × 20 inches
- 1 × 14 inches
- 18 × 24 inches

Acrylic Dispenser

Insert sizes (W × H): 3½ × 8½ inches and 8½ × 11 inches.

Brochure Holders as follows:

- **Economy Brochure Holder** is available in multi-pocket option with removable divider feature that allows display of different types of brochure
- **Dispenser with Hold-down Flap** on the front of the brochure holder is designed to hold inserts securely and can display various kinds of materials
- **J-Style Media Shelf/Dispenser** has a curved front and is ideal for displaying magazines, books, videos, CDs and DVDs; available in various sizes
- **Vector Style Brochure Holders** are modern stylish and practical and available in various sizes

Table 1—Panel Sizes (in inches)

Model	Frame Width	Frame Height	Insert Size	Dispenser Size	Graphic Panel Size
KFPH-001	27 ³ / ₄	72	8 ¹ / ₂ × 11	—	—
KFPH-002	39 ³ / ₄	72	8 ¹ / ₂ × 11	—	—
KFPH-003	27 ³ / ₄	72	8 ¹ / ₂ × 11	3 ¹ / ₂ × 8 ¹ / ₂	—
KFPH-004	39 ³ / ₄	72	11 × 14	—	—
KFPH-005	27 ³ / ₄	72	18 × 24	—	—
KFPH-006	39 ³ / ₄	72	28 × 22	—	—
KFPH-007	27 ³ / ₄	72	11 × 14	—	—
KFPH-008	27 ³ / ₄	72	8 ¹ / ₂ × 11	3 ¹ / ₂ × 8 ¹ / ₂	—
KFPH-009	27 ³ / ₄	72	16 × 20	3 ¹ / ₂ × 8 ¹ / ₂	—
KFPH-010	27 ³ / ₄	72	18 × 24	8 ¹ / ₂ × 11	—
KFPH-011	27 ³ / ₄	72	18 × 24	—	—
KFPH-012	39 ³ / ₄	72	11 × 14	—	—
KFPH-013	39 ³ / ₄	72	28 × 22	—	—
KFPH-014	27 ¹ / ₄	72	—	—	26 × 68



4. Technical Data

Applicable Standards

American Society of Testing and Materials (ASTM)

- **ASTM B221-14** Standard Specification for Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles and Tubes ?
- **ASTM D4802-10** Standard Specification for Poly (Methyl Methacrylate) Acrylic Plastic Sheet

Environmental Considerations

Nova Display, Inc. practices sustainability and recycling. Nova Display Flexi-Frames systems are fabricated from aluminum and aluminum alloys. With close to 100 percent recyclable content, these metals can be repeatedly recycled into similar or other products with no loss of quality, as reprocessing does not damage their molecular structure.

5. Installation

1. Install glides on the vertical extrusions.
2. Position top and bottom horizontal extrusions to the vertical extrusions at the appropriate height and lock the CBX connectors into place with a hex key.
3. Install cable suspension kits.
4. Position the panel supports symmetrically on the cables

5. Attach end caps to the tops of the vertical extrusions.
6. Install reversible hinges at pre-drilled locations of adjacent panels.
7. Repeat steps for additional panels.

Delivery, Storage and Handling

Most components are small, with exception of the vertical and horizontal extrusions, and do not require any special packaging or handling.

6. Availability and Cost

Availability

Most of the standard components are stocked and delivered in 2–15 business days. Lead time on non-standard items, special items or customized products vary from up to two–eight weeks.

Cost

Pricing for most of Nova Display products can be viewed [here](#). All prices are quoted in U.S. dollars. The listed prices are FOB Santa Rosa, California USA and do not include freight charges or any applicable taxes. All prices are subject to change without notice. No deduction will be allowed at settlement. Prices for certain government, corporate and institutional customers may be set forth in a bid or other written agreement between the parties. If unsure what components need to be ordered, please

fax or email manufacturer a short description or graphical attachment (a rough sketch or project layout).

7. Warranty

Nova Display, Inc. manufactures its hardware products from parts and components that are new or equivalent to new in accordance with industry-standard practices. Nova Display warrants that the hardware products it manufactures will be free from defects in materials and workmanship. The warranty term is one year beginning on the date of purchasing or the date the merchandise is received by the customer. This warranty does not cover damage due to external causes, including accident, abuse, misuse, failure to follow installation requirements and problems caused by use of parts and components not supplied by Nova Display. Any unauthorized opening of the merchandise enclosure(s) will void this warranty in its entirety as it pertains to that item. Nova Display will replace products returned to Nova Display facility. To request warranty service, you must contact Nova Display within the warranty period. If warranty service is required, Nova Display will issue a Return Merchandise Authorization Number (RMA number). Ship the products back to Nova Display in their original or equivalent packaging, prepay shipping charges and insure the shipment or accept the risk of loss or damage during shipment. Nova Display will ship the repaired or replacement products back, freight prepaid, if the address is in the U.S. Shipments to other locations will be made freight collect. Nova Display may, but is not required to, ship replacement components prior to receiving the returned merchandise. If so and if the return merchandise is not received in good condition (less the repair issue for which the RMA was issued) the customer will be responsible for paying the full list price of the merchandise that was sent as a replacement. Nova Display owns all replaced parts. Nova Display uses new and reconditioned parts made by various manufacturers in performing warranty repairs and building replacement products. If Nova Display repairs or replaces a product, its warranty term is not extended. This warranty gives customers specific legal rights and they may also have other rights, which vary from state to state (or jurisdiction to jurisdiction). Nova Display's responsibility for malfunctions and defects in hardware is limited to repair and replacement as set forth in this warranty statement. Suitability and finesse for a particular purpose are expressly disclaimed. All express and implied warranties for the product, including but not limited to any implied warranties of and conditions of merchantability, are limited in duration to the warranty period set forth above and no warranties, whether express or implied, will apply after such period. Some states (or jurisdictions) do not. Allow limitations on how long an implied warranty lasts, so the above limitation may not apply.

A downloadable .pdf file of warranty policies is [here](#).

8. Maintenance

Download installation instructions here and follow manufacturer instructions. Inspect cables and fittings regularly for visible damage, wear, elongation, kinking, crushing, corrosion, etc. No product can keep operating at its rated capacity indefinitely. Periodic inspections help determine when to replace components to eliminate extensive damage or reduce hazards.

9. Technical Services

Design Services/Creative Design and Project Development

Nova Display specializes in design, planning and project management. It assists in specifying any part of the project and helps develop the client's idea from prototype to production. Nova Display works with a highly specialized team of interior designers, decorators, contractors and other service providers who have the training and expertise to manage all project details. Contact Nova Display's in-house design team or request information about its Preferred Design Partner Program of certified architects and design companies nearby. For more information please contact Nova Display's office or follow this link for more details.

For more information, please contact Nova Display's main office or click [here](#).

Installation Services

For installation assistance, click [Installation Instructions](#) for most Nova Display systems or individual components. Installation services are also available through Nova Display's Preferred Installer Program of certified contractors located nearby. Contact Nova Display for any questions not available through these resources.

10. Filing Systems

- CMD
- Additional product information is available from the manufacturer upon request ↪